

General Care of the Infant with Neonatal Opioid Withdrawal Syndrome

REFERENCES – Wachman

- 1) Wachman EM, Schiff DM, Silverstein M. Neonatal Abstinence Syndrome: Advances in Diagnosis and Treatment. *JAMA*, 319(13):1362-1374.
- 2) Bogen DL, Hanusa BH, Baker R, et al. Randomized Clinical Trial of Standard- Versus High-Calorie Formula for Methadone-Exposed Infants: A Feasibility Study. *Hosp Pediatr*, 2018; 8(1):7-14.
- 3) Reece-Stremtan S, Marinelli KA. ABM clinical protocol #21: guidelines for breastfeeding and substance use or substance use disorder, revised 2015. *Breastfeed Med*, 2015; 10(3):135-41.
- 4) Wachman EM, Saia K, Humphreys R, Minear S, Combs G, Philipp BL. Revision of breastfeeding guidelines in the setting of maternal opioid use disorder – one institution's experience. *J Human Lactation*, 2016 May;32(2):382-7.
- 5) Hale's Medications & Mothers' Milk™ 2019 Paperback by Dr. Thomas W. Hale PhD (Author).
- 6) Hudak ML, Tan RC, Committee on Drugs, Committee on Fetus and Newborn, American Academy of Pediatrics. *Pediatrics*, 2012; 129(2):e540-60.
- 7) Wachman EM, Grossman M, Schiff DM, Philipp B, Minear S, Hutton E, Saia K, Nikita F, Khattab A, Nolin A, Alvarez C, Barry K, Combs G, Stickney D, Driscoll J, Humphreys R, Burke J, Farrell C, Shrestha H, Whalen BL. Quality Improvement Initiative to Improve Inpatient Outcomes for Neonatal Abstinence Syndrome. *J Perinatology*, 2018; 38(8):1114-1122.
- 8) MacMillan KDL, Rendon CP, Verma K, et al. Association of Rooming-in with outcomes for Neonatal Abstinence Syndrome: A Systematic Review and Meta-analysis. *JAMA Pediatrics*, 2018; 172(4):245-351.
- 9) Howard MB, Schiff DM, Penwill N, Si W, Rai A, Wolfgang T, Moses JM, Wachman EM. Impact of Parental Presence at Infants' Bedside on Neonatal Abstinence Syndrome. *Hosp Pediatr*, 2017; 7(2):63-69.